



INV-M40

40 Liter Solid Door Inverter Minibar



LED INTERIOR
LIGHTNING (OPTIONAL)



ECO FRIENDLY



ADJUSTABLE
SHELVES

INV-MC40

40 Liter Glass Door Inverter Minibar



LED INTERIOR
LIGHTNING (OPTIONAL)



ECO FRIENDLY



ADJUSTABLE
SHELVES

Dimensions (W x D x H)	40.5 x 43.5 x 52.5 cm	Dimensions (W x D x H)	40.5 x 44,5 x 52.5 cm
Weight	14.3 kg	Weight	17.4 kg
Capacity	40 liters	Capacity	40 liters
Voltage	220 - 240 V	Voltage	220 - 240 V
Power	65 W	Power	65 W
Energy Consumption	0.15 kWh / 24h (A+++)	Energy Consumption	0.20 kWh / 24h (A+++)
Refrigerant	R600	Refrigerant Gas	R600
Noise Level	26-29 dB	Noise Level	26-29 dB
Type of Cooling	Inverter Compressor	Type of Cooling	Inverter Compressor
Container Loading Capacity 20' / 40' with Pallets	66 / 150	Container Loading Capacity 20' / 40' with Pallets	66 / 150
Container Loading Capacity 20' / 40' without Pallets	240 / 480	Container Loading Capacity 20' / 40' without Pallets	240 / 480


INVERTER miniBar

FILTER DRIER

- Horizontal design that prevents particle clogging **Italian Origin DE-NA Brand Drayer**.
- Design that provides high cooling performance thanks to the **copper evaporator pipe wrapped around the drayer**.

CONNECTION AND WIRING SCHEME

- The orderly and well-insulated nature of the parts demonstrates a great design approach in terms of both **safety and longevity**.



CONDENSER

- Pipes that provide efficient circulation of the refrigerant.
- Cross Design Consisting of Double Layer Thick Copper Pipe.
- The **wide surface area** increases heat distribution and operates the system in the most efficient way. The compressor needs less operation and reduces energy consumption thanks to the condenser design.

THERMOSTAT

- **FSTB** brand thermostat that automatically turns off the system when the interior temperature of the minibar reaches +5 degrees and starts operating the system again at +10 degrees.

WATER DRAIN CONTAINER

- The drain water evaporates easily thanks to the condenser wire passing through the water drain pan.
- This prevents water from flowing into the furniture.
- Dangers such as fire and fuse blowing are prevented.

INVERTER COMPRESSOR

- Powerful and suitable for silent operation,
- Thanks to INVERTER CARD,
- **LOW ELECTRICITY CONSUMPTION, HIGH PERFORMANCE**
- **20 Year Arçelik Compressor Warranty**
- **5 Year Elektromarla miniBar Warranty.**

INVERTER miniBar

ROLL BOND EVAPORATOR

- 2.7 mm Thickness
- 26x30 cm Wid Roll Bond Evaporator
- **HIGH PERFORMANCE. LOW ELECTRICITY CONSUMPTION**

WATER DRAIN SET


- Thanks to the angled water drain set designed in the interior design, the drain water is drained from the back without flowing into the cabinet !!!

PVC Coated Scratch Resistant Galvanized Metal Sheet

- 0.50 mm Thickness
- Standard: Black/White

THERMOSTAT BUTTON

- It is adjustable and you can set it to the coldness range you want.



OPTICAL SENSOR LED LIGHTING

- Polycarbonate Led Glass
- Homogeneous Led Light Emitted from **Center**

THERMOSTAT PROBE HIDING PLASTIC PIECE

- A non-contact plastic protector that hides the thermostat probe.***

POLYSTYRENE SHEET BODY

- 9 shelf channel inner body produced using Original High Quality Polystyrene Raw Material and 4% Paint.
- !! WE DO NOT USE Scrap Raw Material. If used, the product turns yellow and loses color over time. The body looks completely white at first, but turns yellow after 2 years. Scrap polystyrene price is 70% lower than the original raw material.!!**

SET PREVENTING LIQUID SPILLAGE

- The rising set design in front of the inner body prevents possible liquid spills from flowing outside the refrigerator and flowing through the furniture.
- **Giving this shape to polystyrene requires mold and labor costs.**